

CROWD BARRIER FOR

”MEDIUM DUTY”

APPLICATIONS

MODULAR SYSTEM «MD»

120 & 200 SERIES



**SOCIAL
DISTANCING
SOLUTIONS**

LITEC «MD» CROWD BARRIER – 120 & 200 Series

- Litec MEDIUM DUTY line of crowd barrier modular system has been engineered with the target to provide a higher horizontal load resistance than the one offered by the “LD” system;
- Main frame of the barrier is made in aluminum EN6082 T6 alloy, with the addition of 16mm thick polycarbonate sheet;
- As for the rest of the families, we have here two options: the 120 Series (1200 mm height) and the 200 series (2000 mm height). Both version shares a 1035 mm width aluminum base platform with a slope to avoid accidental tripping;
- Easy to remove, store, transport and install and disassemble;
- Compatible with Litec “HD” Crowd Barrier System, they can be combined together via special adaptors frames;
- Our engineering staff is also available for all possible customizations needs;



Code: LT CWBM-B

Description:

Litec “MD” Crowd Barrier 120 Series standard. (I)

Weight:

26.4 kg

Dimensions [mm]:

width 1035 x depth 950 x height 1185





S | D | S
SOCIAL
DISTANCING
SOLUTIONS

Code: LT CWBM-VL

Description:

Litec “MD” Crowd Barrier 120 Series
vario light with adjustable angle 0°/+90°/-90°. (I)

Weight:

17.2 kg

Dimensions [mm]:

width 922 x depth 50 x height 1185



**EXAMPLE OF LITEC
CROWD BARRIER
“MD” 120 SERIES**

CORNER SET

MADE OF:

2 x Code: LT CWBM-B

1 x Code: LT CWBM-VL



Code: LT CWBM-TB

Description:


Litec “MD” Crowd Barrier 200 Series
tall standard. (I)

Weight:

34.8 kg

Dimensions [mm]:

width 1035 x depth 950 x height 2060



Code: LT CWBM-TVL

Description:

Litec “MD” Crowd Barrier 200 Series
vario light with adjustable angle 0°/+90°/-90°. (I)

Weight:

26.2 kg

Dimensions [mm]:

width 922 x depth 50 x height 2060



S | D | S
SOCIAL
DISTANCING
SOLUTIONS

**EXAMPLE OF LITEC
CROWD BARRIER
“MD” 200 SERIES
CORNER SET
MADE OF:**

2 x Code: LT CWBM-B

1 x Code: LT CWBM-VL



**SOCIAL
DISTANCING
SOLUTIONS**


**EXAMPLE OF LITEC
CROWD BARRIER
“MD” 200 SERIES
TUNNEL FOR
THERMAL CAMERA
TEMPERATURE
SCANNING**

MADE OF:

2 x Code: LT CWBM-TBT

1 x Code: LT CWBM-TOP

1 x Code: LT CWBM-RT



Code: LT CWB-FC

Description:

Litec “MD” Crowd Barrier 120 & 200 Series connection kit made of:

2 x male pin M14

2 x nuts M10

2 x bolts M10

4 x washers M10

available as a spare part. (I)

Weight:

0.35 kg

